

KPC131 - 12 V DC

1/3" Color CCD image sensor

KPC135 - 230 V AC

OVERVIEW

Equipped with a 1/3" Color CCD image sensor, this regular camera possesses satisfactory minimum illumination to provide clear and sharp images and has a microphone built-in to consolidate the quality of your surveillance system.

Features

- 1/3" Color CCD image sensor
Standard resolution of 420TVL
- Satisfactory minimum illumination of 0.15 Lux/F1.4
- Recommended lens VOOK Auto Iris DC 3,5-8 mm / F1.4
- Audio function supported
- Signal-to-noise ration of 48dB



MODEL	KPC131	KPC135
Pick up Element		1/3" Color CCD image sensor
Number of Pixel		512(H) x 492(V) <NTSC> / 512(H) x 582(V) <PAL>
Resolution		420TVL
Minimum illumination		0.3 Lux / F2.0 ; 0.15 Lux / F1.4
S/N Ratio		More than 48dB (AGC off)
Electronic Shutter		1/60 (1/50) to 1/100,000 sec.
Lens Mount		C/CS mount changeable
IRIS Mode		D.D./ V.D./ AES
AGC		Auto
White Balance		ATW
Video Output		1.0 Vp-p composite, 75
Microphone		YES
Power Source(±10%)	DC12V	230 V AC
Current Consumption(±10%)	80mA	1,8 W
Dimension (mm)**	108(L) x 62(W) x 50(H)	118(L) x 62(W) x 50(H)

* The specifications are subject to change without notice.

** Dimensional Tolerance: ± 5mm